

DNA Analyst Training Laboratory Training Manual

Literature



PRESIDENT'S
DNA
INITIATIVE



Table of Contents

Blood Identification.....	3
Semen Identification.....	4
Saliva Identification.....	6
Urine Identification	6
Feces Identification	6
Vaginal Fluid Identification	6
Hair	6
DNA Extraction.....	7
Quantitation	11
Amplification.....	11
Capillary Electrophoresis/Genetic Analysis.....	16
Data Analysis and Interpretation, Population Genetics, and Statistics	17
Legal Issues and Social Science	18
Professional Working Group Publications, QA/QC, and Accreditation Information	18
Development and Validation Studies (STRs).....	19
Forensic SNP Analysis	20
Mitochondrial DNA	21
Y-STRs	21
Future Trends and Technologies	22
Forensic Texts	23

Blood Identification

Cox, M., 1991. A study of the sensitivity and specificity of four presumptive tests for blood. *J Forensic Sci* 36 (5): 1503–11.

Culliford, B. J. 1964. Precipitin Reactions in forensic problems: A new method for precipitin reactions on forensic blood, semen and saliva stains. *Nature* 201: 1092–3

Garner, D. D., K. M. Cano, R. S. Peimer, and T. E. Yeshion. 1976. An evaluation of tetramethylbenzidine as a presumptive test for blood. *J Forensic Sci* 21 (4): 816–21.

Gross, A. M., K. A. Harris, and G. L. Kaldun. 1999. The effect of luminol on presumptive tests and DNA analysis using the polymerase chain reaction. *J Forensic Sci* 44 (4): 837–40.

Higaki, R. S., and W. M. S. Philp. 1976. A study of the sensitivity, stability and specificity of phenolphthalein as an indicator test for blood. *Canadian Soc Forensic Sci J* 9 (3): 97–102.

Hochmeister, M. N., B. Budowle, R. Sparkes, O. Rudin, C. Gehrig, M. Thali, L. Schmidt, A. Cordier, and R. Dirnhofer. 1999. Validation studies of an immunochromatographic 1-step test for the forensic identification of human blood. *J Forensic Sci* 44 (3): 597–602.

Kastle, J. H., and A. S. Loevenhart. 1901. On the nature of certain oxidizing ferments. *Am Chem J* 26: 539–66.

Lee, H. C., and P. R. De Forest. 1976. A precipitin-inhibition test on denatured bloodstains for the determination of human origin. *J Forensic Sci* 21 (4): 804–10.

Lee, H. C., R. E. Gaensslen, P. D. Bigbee, and J. J. Kearney. 1991. Guidelines for the collection and preservation of DNA evidence. *J Forensic Identification* 41:344–56.

Lee, H. C., R. E. Gaensslen, E. M. Pagliaro, M. B. Guman, K. M. Berka, T. P. Keith, and P. Phipps. 1989. The effect of presumptive test, latent fingerprint and some other reagents and materials on subsequent serological identification, genetic marker and DNA testing in bloodstains. *J Forensic Identification* 39 (6): 331–50.

Lytle, T. L., and D. G. Hedgecock. 1978. Chemiluminescence in the visualization of forensic bloodstains. *J Forensic Sci* 23 (3): 550–62.

Oepen, I. 1988. Identification of characteristics in blood and semen stains: A review. *Forensic Sci Int* 36 (3–4): 183–91.

Ponce, A. C., and F. A. V. Pascual. 1999. Critical revision of presumptive tests for bloodstains. *Forensic Science Communications* 1 (2). <http://www.fbi.gov/hq/lab/fsc/backissu/july1999/ponce.htm>.

Roitt, Ivan, and Peter J. Delves, eds. 2001. *Roitt's essential immunology*. 10th ed. Oxford, UK: Blackwell Scientific Pub.

Stoilovic, M. 1991. Detection of semen and blood stains using polilight as a light source. *Forensic Sci Int* 51 (2): 289–96.

Semen Identification

Allery, J. P., N. Telmon, R. Mieusset, A. Blanc, and D. Rougé. 2001. Cytological detection of spermatozoa: Comparison of three staining methods. *J Forensic Sci* 46 (2): 349–351.

Armbruster, D. A. 1993. Prostate-specific antigen: Biochemistry, analytical methods, and clinical application. *Clin Chem* 39 (2): 181–95.

Bryson, C. K., A. M. Garlo, and S. C. Piner. 1989. Vaginal swabs: Endogenous and postcoital components. *J Forensic Sci Soc* 29 (3): 157–71.

Cortner, G. V., and A. J. Boudreau. 1978. Phase contrast microscopy versus differential interference contrast microscopy as applicable to the observation of spermatozoa. *J Forensic Sci* 23 (4): 830–2.

Davies A., and E. Wilson. 1974. The persistence of seminal constituents in the human vagina. *Forensic Sci* 3 (1):45–55.

Dimo-Simonin, N., F. Grange, and C. Brandt-Casadevall. 1997. PCR-based forensic testing of DNA from stained cytological smears. *J Forensic Sci* 42 (3): 506–9.

Duenhoelter, J. H., I. C. Stone, R. Santos-Ramos, and D. E. Scott. 1978. Detection of seminal fluid constituents after alleged sexual assault. *J Forensic Sci* 23 (4): 824–9.

Enos, W. F., and J. C. Beyer. 1978. Spermatozoa in the anal canal and rectum and in the oral cavity of female rape victims. *J Forensic Sci* 23 (1): 231–3.

Enos, W. F., J. C. Beyer, and G. T. Mann. 1972. The medical examination of cases of rape. *J Forensic Sci* 17 (1) 50–6.

Gartside B .O., K. J. Brewer, and C. J. Strong. 2003. Estimation of prostate-specific antigen (PSA) extraction efficiency from forensic samples using Seratec® PSA semiquant semiquantitative membrane test. *Forensic Science Communications*. 5 (2). <http://www.fbi.gov/hq/lab/fsc/backissu/april2003/gartside.htm>.

Graves, H. C. B., G. F. Sensabaugh, and E. T. Blake. 1985. Postcoital detection of a male-specific semen protein: Application to the investigation of rape. *N Engl J Med* 312 (6): 338–43.

Hochmeister, M. N., B. Budowle, O. Rudin, C. Gehrig, U. Borer, M. Thali, and R. Dirnhofer. 1999. Evaluation of prostate-specific antigen (PSA) membrane test assays for the forensic identification of seminal fluid. *J Forensic Sci* 44 (5): 1057–60.

Hooft, P. J., and H. P. van de Voorde. 1994. Interference of body products, food and products from daily life with the modified zinc test and the acid phosphatase test. *Forensic Sci Int* 66 (3): 187–96.

Kamenev, L., M. Leclercq, and C. Francois-Gerard. 1990. Detection of p30 antigen in sexual assault case material. *J Forensic Sci Soc* 30 (4) (1990):193–200.

Keating, S. M., and J. E. Allard. 1994. What's in a name?: Medical samples and scientific evidence in sexual assaults. *Med Sci Law* 34 (3): 187–201.

Kobus, H. J., E. Silenieks, and J. Scharnberg. 2002. Improving the effectiveness of fluorescence for the detection of semen stains on fabrics. *J Forensic Sci* 47 (4): 819–23.

Koch, K., L. O. Maddox, B. Suit, J. Higgins, C. J. Word, and R. W. Cotton. 2000. Forensic use of Abacus OneStep ABACard test for the identification of the p30 antigen. *Genetic Identity Conference proceedings: Eleventh International Symposium on Human Identification*, Promega abstracts. <http://www.promega.com/geneticidproc/ussymp11proc/abstracts/koch.pdf>.

Laux D. L., A. J. Tambasco, and E. A. Benzinger. 2003. Forensic detection of semen 2: Comparison of the Abacus Diagnostics OneStep ABACard[®] p30 Test and the Seratec PSA Semiquant Kit for the determination of the presence of semen in forensic cases. *Midwestern Assoc For Sci* 32:11–18. <http://mafs.net/pdf/laux2.pdf>.

Lee, H. C., R. E. Gaensslen, P. D. Bigbee, and J. J. Kearney. 1991. Guidelines for the collection and preservation of DNA evidence. *J Forensic Identification* 41 (5): 344–55.

Lovgren, J., C. Valtonen-Andre, K. Marsal, H. Lilja, and A. Lundwall. 1999. Measurement of prostate-specific antigen and human glandular kallikrein 2 in different body fluids. *J Androl* 20 (3): 348–55.

McClosky, K. L., G. C. Muscillo, and B. Noordewier. 1975. Prostatic acid phosphatase activity in the postcoital vagina. *J Forensic Sci* 20 (4): 630–6.

Oepen, I. 1988. Identification of characteristics in blood and semen stains: A review. *Forensic Sci Int* 36 (3–4): 183–91.

Schiff, A. F. 1969. Modification of the Berg acid phosphatase test. *J Forensic Sci* 14 (4): 538–44.

Schiff, A. F. 1978. Reliability of the acid phosphatase test for the identification of seminal fluid. *J Forensic Sci* 23 (4): 833–44.

Sensabaugh, G. F. 1978. Isolation and characterization of a semen-specific protein from human seminal plasma: A potential new marker for semen identification. *J Forensic Sci* 23 (1): 106–15.

Standefer, J. C., and E. W. Street. 1977. Postmortem stability of prostatic acid phosphatase. *J Forensic Sci* 22 (1): 165–172.

Steinman, G. 1995. Rapid spot tests for identifying suspected semen specimens. *Forensic Sci Int* 72 (3): 191–7.

Stoilovic, M. 1991. Detection of semen and blood stains using polilight as a light source. *Forensic Sci Int* 51 (2): 289–96.

Turvey, B. E. 1995. A-Utopic determination of oral sex in forensic science. Knowledge Solutions Library. <http://www.corpus-delicti.com/oralsex.html>.

Weaver, R. L., N. T. Lappas, and W. R. Rowe. 1978. Utilization of medically obtained evidence in cases of sexual assault: Results of a survey. *J Forensic Sci* 23 (4): 809–23.

Willott, G. M., and J. E. Allard. 1982. Spermatozoa: Their persistence after sexual intercourse. *Forensic Sci Int* 19 (2): 135–54.

Willot, G. M., and M. A. Crosse. 1986. The detection of spermatozoa in the mouth. *J Forensic Sci Soc.* 26 (2): 125–28.

Yu, H., and E. P. Diamandis. 1995. Prostate-specific antigen in milk of lactating women. *Clin Chem* 41 (1): 54–8.

Saliva Identification

Auvdel, M. J. 1986. Amylase levels in semen and saliva stains. *J Forensic Sci* 31 (2): 426–31.

Baxter, S. J., and B. Rees. 1975. The identification of saliva in stains in forensic casework. *Med Sci Law* 15 (1): 37–41.

Gaensslen, R. E. 1983. *Sourcebook in forensic serology, immunology, and biochemistry*, 184–89. National Institute of Justice/NCJRS.

Willott, G. M. 1974. An improved test for the detection of salivary amylase in stains. *J Forensic Sci Soc* 14 (4): 341–4.

Willott, G. M., and M. Griffiths. 1980. A new method for locating saliva stains: Spotty paper for spotting spit. *Forensic Sci Int* 15 (1): 79–83.

Urine Identification

Poon, H. H. L. 1984. Identification of human urine by immunological techniques. *Canadian Soc Forensic Sci J* 17:81–89.

Feces Identification

Lloyd, J., and J. Westons. 1982. A spectrometric study of the fluorescence detection of fecal urobilinoids. *J Forensic Sci* 27 (2): 352–65.

Thrasher, J. J., and J. S. Gecan. 1981. Chemical test for mammalian feces: Collaborative study. *J Assoc Off Anal Chem* (64) 1: 196–8.

Vaginal Fluid Identification

Peabody, A. J., R. M. Burgess, and R. E. Stockdale. 1981. Re-examination of the Lugol's iodine test. Home Office Central Research Establishment Report no. 412.

Hair

Deedrick, D. W., and S. L. Koch. 2004. Microscopy of hair part 2: A practical guide and manual for animal hairs. *Forensic Science Communications* 6 (3).
http://www.fbi.gov/hq/lab/fsc/backissu/july2004/research/2004_03_research02.htm.

Higuchi, R., C. H. von Beroldingen, G. F. Sensabaugh, and H. A. Erlich. 1988. DNA typing from single hairs. *Nature* 332 (6164): 543–6.

Linch C. A., S. L. Smith, and J. A. Prahlow. 1998. Evaluation of human hair root for DNA typing subsequent to microscopic comparison. *J Forensic Sci* 43 (2): 305–14.

DNA Extraction

Abaz, J., S. J. Walsh, J. M. Curran, D. S. Moss, J. Cullen, J. A. Bright, G. A. Crowe, S. L. Cockerton, and T. E. Power. 2002. Comparison of the variables affecting the recovery of DNA from common drinking containers. *Forensic Sci Int* 126 (3): 233–40.

Bar, W., A. Kratzer, M. Machler, and W. Schmid. 1988. Postmortem stability of DNA. *Forensic Sci Int* 39 (1) 59-70.

Barbaro, A., N. Staiti, P. Cormaci, and L. Saravo. 2004. DNA profiling by different extraction methods. *International Congress Series* 1261: 562–4.

Brauner, P., and N. Gallili. 1993. A condom: The critical link in a rape. *J Forensic Sci* 38 (5): 1233–6.

Chen, J., L. Kobilinsky, D. Wolosin, R. Shaler, and H. Baum. 1998. A physical method for separating spermatozoa from epithelial cells in sexual assault evidence. *J Forensic Sci* 43 (1) 114–118.

Comey, C. T. 1994. DNA extraction strategies for amplified fragment length polymorphism analysis. *J Forensic Sci* 39 (5):1254–69. 1994.

Dimo-Simonin, N., F. Grange, and C. Brandt-Casadevall. 1997. PCR-based forensic testing of DNA from stained cytological smears. *J Forensic Sci* 42 (3): 506–9.

Fowler, J. C., L. A. Burgoyne, A. C. Scott, and H. W. Harding. 1988. Repetitive deoxyribonucleic acid (DNA) and human genome variation: A concise review relevant to forensic biology. *J Forensic Sci* 33 (5): 1111–26.

Frank, W. E., and B. E. Llewellyn. 1999. A time course study on STR profiles derived from human bone, muscle, and bone marrow. *J Forensic Sci* 44 (4): 778–82.

Fridez, F., and R. Coquoz. 1996. PCR DNA typing of stamps: Evaluation of the DNA extraction. *Forensic Sci Int* 78 (2):103–10.

Gautreau, C., C. Rahuel, J. P. Cartron, G. Lucotte. 1983. Comparison of two methods of high-molecular-weight DNA isolation from human leucocytes. *Anal Biochem* 134 (2): 320–24.

Greenspoon, S. A., J. D. Ban, K. Sykes, E. J. Ballard, S. S. Edler, M. Baisden, and B. L. Covington. 2004. Application of the BioMek 2000 Laboratory Automation Workstation and the DNA IQ System to the extraction of forensic casework samples. *J Forensic Sci* 49 (1): 29–39.

Greenspoon, S. A., M. A. Scarpetta, M. L. Drayton, and S. A. Turek. 1998. QIAamp spin columns as a method of DNA isolation for forensic casework. *J Forensic Sci* 43 (5): 1024–30.

Herber, B., and K. Herold. 1998. DNA typing of human dandruff. *J Forensic Sci* 43 (3): 648–56.

Higuchi, R., C. H. von Beroldingen, G. F. Sensabaugh, and H. A. Erlich. 1988. DNA typing from single hairs. *Nature* 332 (6164): 543–6.

Hochmeister, M. N., B. Budowle, and F. S. Baechtel. 1991. Effects of presumptive test reagents on the ability to obtain restriction fragment length polymorphism (RFLP) patterns from human blood and semen stains. *J Forensic Sci* 36 (3): 656–61.

Hochmeister, M. N., B. Budowle, U. V. Borer, and R. Dirnhofer. 1993. Effects of nonoxinol-9 on the ability to obtain DNA profiles from postcoital vaginal swabs. *J Forensic Sci* 38 (2): 442–7.

Hochmeister, M. N., B. Budowle, U. V. Borer, U. Eggmann, C. T. Comey, and R. Dirnhofer. 1991. Typing of deoxyribonucleic acid (DNA) extracted from compact bone from human remains. *J Forensic Sci* 36 (6): 1649–61.

Hochmeister, M. N., B. Budowle, U. V. Borer, O. Rudin, M. Bohnert, and R. Dirnhofer. 1995. Confirmation of the identity of human skeletal remains using multiplex PCR amplification and typing kits. *J Forensic Sci* 40 (4): 701–5.

Hoff-Olsen, P., B. Mevag, E. Staalstrom, B. Hovde, T. Egeland, and B. Olaisen. 1999. Extraction of DNA from decomposed human tissue: An evaluation of five extraction methods for short tandem repeat typing. *Forensic Sci Int* 105 (3): 171–83.

Honma, M., T. Yoshii, I. Ishiyama, K. Mitani, R. Kominami, and M. Muramatsu. 1989. Individual identification from semen by the deoxyribonucleic acid (DNA) fingerprint technique. *J Forensic Sci* 34 (1): 222–7.

Horsman, K. M., S. L. Barker, J. P. Ferrance, K. A. Forrest, K. A. Koen, and J. P. Landers. 2005. Separation of sperm and epithelial cells in a microfabricated device: Potential application to forensic analysis of sexual assault evidence. *Analytical Chemistry* 77 (3): 742–9.

Keating, S. M. 1989. Information from penile swabs in sexual assault cases. *Forensic Sci Int* 43 (1): 63–81.

Laber, T. L., J. M. O'Connor, J. T. Iverson, J. A. Liberty, and D. L. Bergman. 1992. Evaluation of four deoxyribonucleic acid (DNA) extraction protocols for DNA yield and variation in restriction fragment length polymorphism (RFLP) sizes under varying gel conditions. *J Forensic Sci* 37 (2): 404–24.

Lee, H. C., R. E. Gaensslen, E. M. Pagliaro, M. B. Guman, K. M. Berka, T. P. Keith, and P. Phipps. 1989. The effect of presumptive test, latent fingerprint and some other reagents and materials on subsequent serological identification, genetic marker and DNA testing in bloodstains. *J Forensic Identification* 39 (6): 331–50.

Lienert, K., and J. C. Fowler. 1992. Analysis of mixed human/microbial DNA samples: A validation study of two PCR AMP-FLP typing methods. *Biotechniques* 13 (2): 276–81.

Linch, C. A., S. L. Smith, and J. A. Prahlow. 1998. Evaluation of the human hair root for DNA typing subsequent to microscopic comparison. *J Forensic Sci* 43 (2): 305–14.

McNally, L., R. C. Shaler, M. Baird, I. Balazs, P. DeForest, and L. Kobilinsky. 1989. Evaluation of deoxyribonucleic acid (DNA) isolated from human bloodstains exposed to ultraviolet light, heat, humidity, and soil contamination. *J Forensic Sci* 34 (5): 1059–69.

McNally, L., R. C. Shaler, M. Baird, I. Balazs, L. Kobilinsky, and P. DeForest. 1989. The effects of environment and substrata on deoxyribonucleic acid (DNA): The use of casework samples from New York City. *J Forensic Sci* 34 (5): 1070–7.

Montagna, C. P. 1996. The recovery of seminal components and DNA from the vagina of a homicide victim 34 days postmortem. *J Forensic Sci* 41 (4): 700–2.

Nagy, M., P. Otremba, C. Kruger, S. Bergner-Greiner, P. Anders, B. Henske, M. Prinz, and L. Roewer. 2005. Optimization and validation of a fully automated silica-coated magnetic beads purification technology in forensics. *Forensic Sci Int* 152 (1): 13–22.

Oz, C., and A. Zamir. 2000. An evaluation of the relevance of routine DNA typing of fingernail clippings for forensic casework. *J Forensic Sci* 45 (1):158–60.

Primorac, D., S. Andelinovic, M. Definis-Gojanovic, I. Drmic, B. Rezic, M. M. Baden, M. A. Kennedy, M. S. Schanfield, S. B. Skakel, and H. C. Lee. 1996. Identification of war victims from mass graves in Croatia, Bosnia, and Herzegovina by use of standard forensic methods and DNA typing. *J Forensic Sci* 41 (5): 891–4.

Ross, A. M., and H. W. Harding. 1989. DNA typing and forensic science. *Forensic Sci Int* 41 (3): 197–203.

Roy, R., R. Burghoff, and D. L. Steffens. 1997. Detection of STR, D1S80, and gender alleles from body fluids collected on IsoCode™ foam collectors and paper-based devices. *Crime Laboratory Digest* 24 (1): 4–9.

Salvador, J. M., and M. C. De Ungria. 2003. Isolation of DNA from saliva of betel quid chewers using treated cards. *J Forensic Sci* 48 (4): 794–7.

Scherzinger, C. A., M. T. Bourke, C. Ladd, and H. C. Lee. 1997. DNA extraction from liquid blood using QIamp. *J Forensic Sci* 42 (5): 893–6.

Schmerer, W. M., S. Hummel, and B. Herrmann. 1999. Optimized DNA extraction to improve reproducibility of short tandem repeat genotyping with highly degraded DNA as target. *Electrophoresis* 20 (8): 1712–6.

Sinclair, K., and V. M. McKechnie. 2000. DNA extraction from stamps and envelope flaps using QIAamp and QIAshredder. *J Forensic Sci* 45 (1): 229–30.

Singer-Sam, J., R. L. Tanguay, and A. D. Riggs. 1989. Use of Chelex to improve the PCR signal from a small number of cells. *Amplifications: A forum for PCR users* 3:11.

Stein, C., S. H. Kyeck, and C. Henssge. DNA typing of fingerprint reagent treated biological stains. 1996. *J Forensic Sci* 41 (6): 1012–7.

Strom, C. M., and S. Rechitsky. 1998. Use of nested PCR to identify charred human remains and minute amounts of blood. *J Forensic Sci* 43 (3): 696–700.

Suenaga, E., and H. Nakamura. Evaluation of three methods for effective extraction of DNA from human hair. 2005. *J Chromatography Biology Analyt Technol Biomed Life Sci* 820 (1): 137–41.

Sweet, D., M. Lorente, A. Valenzuela, J. A. Lorente, and J. C. Alvarez. 1996. Increasing DNA extraction yield from saliva stains with a modified Chelex method. *Forensic Sci Int* 83 (3): 167–77.

Sweet, D., and G. G. Shutler. 1999. Analysis of salivary DNA evidence from a bite mark on a body submerged in water. *J Forensic Sci* 44 (5): 1069–72.

Thacker, C., C. P. Phillips, and D. Syndercombe-Court. 2000. Use of FTA cards in small volume PCR reactions. *Progress in Forensic Genetics* 8 (1999): 473–5.

Tsuchimochi, T., M. Iwasa, Y. Maeno, H. Koyama, H. Inoue, I. Isobe, R. Matoba, M. Yokoi, and M. Nagao. 2002. Chelating resin-based extraction of DNA from dental pulp and sex determination from incinerated teeth with Y-chromosomal alphoid repeat and short tandem repeats. *Am J Forensic Med Pathol* 23 (3): 268–71.

Vandenberg, N., and R. A. van Oorschot. 2002. Extraction of human nuclear DNA from feces samples using the QIAamp DNA Stool Mini Kit. *J Forensic Sci* 47 (5): 993–5.

Vandenberg, N., R. A. van Oorschot, and R. J. Mitchell. 1997. An evaluation of selected DNA extraction strategies for short tandem repeat typing. *Electrophoresis* 18 (9): 1624–6.

Walsh, D. J., A. C. Corey, R. W. Cotton, L. Forman, G. L. Herrin Jr., C. J. Word, and D. D. Garner. 1992. Isolation of deoxyribonucleic acid (DNA) from saliva and forensic science samples containing saliva. *J Forensic Sci* 37 (2): 387–95.

Walsh, P. S., D. A. Metzger, and R. Higuchi. 1991. Chelex 100 as a medium for simple extraction of DNA for PCR-based typing from forensic material. *Biotechniques* 10 (4): 506–13.

Waye, J. S., D. Michaud, J. H. Bowen, and R. M. Fourney. 1991. Sensitive and specific quantification of human genomic deoxyribonucleic acid (DNA) in forensic science specimens: Casework examples. *J Forensic Sci* 36(4): 1198–203.

Waye, J. S., L. A. Presley, B. Budowle, G. G. Shutler, and R. M. Fourney. 1989. A simple and sensitive method for quantifying human genomic DNA in forensic specimen extracts. *Biotechniques* 7 (8): 852–65.

Webb, M. B., N. J. Williams, and M. D. Sutton. 1993. Microbial DNA challenge studies of variable number tandem repeat (VNTR) probes used for DNA profiling analysis. *J Forensic Sci* 38 (5): 1172–5.

Whitehead, Thomas P., G. G. Thorpe, T. N. Carter, C. Groucutt, and L. J. Kricka. 1983. Enhanced Luminescence procedure for sensitive determination of peroxidase-labelled conjugates in immunoassay. *Nature* 305: 158–9.

Ye, J., A. Ji, E. J. Parra, X. Zheng, C. Jiang, X. Zhao, L. Hu, and Z. Tu. 2004. A simple and efficient method for extracting DNA from old and burned bone. *J Forensic Sci* 49 (4): 754–9.

Yoshida, K., K. Sekiguchi, N. Mizuno, K. Kasai, I. Sakai, H. Sato, and S. Seta. 1995. The modified method of two-step differential extraction of sperm and vaginal epithelial cell DNA from vaginal fluid mixed with semen. *Forensic Sci Int* 72 (1): 25–33.

Zehner, R., J. Amendt, and R. Krettek. 2004. STR typing of human DNA from fly larvae fed on decomposing bodies. *J Forensic Sci* 49 (2): 337–40.

Quantitation

Johnson, I. D. Introduction to fluorescence techniques. Molecular Probes publication.
<http://probes.invitrogen.com/media/publications/144.pdf>.

Kline, M. C., D. L. Duewer, J. W. Redman, and J. M. Butler. 2005. Results from the NIST 2004 DNA Quantitation Study. *J Forensic Sci* 50 (3): 570–8.

Nicklas, J. A., and E. Buel. 2003. Development of an Alu-based, real-time PCR method for quantitation of human DNA in forensic samples. *J Forensic Sci* 48 (5): 936–44.

Richard, M. L., R. H. Frappier, and J. C. Newman. 2003. Developmental validation of a real-time quantitative PCR assay for automated quantification of human DNA. *J Forensic Sci* 48 (5): 1041–6.

Sullivan, K. M., A. Mannucci, C. P. Kimpton, and P. Gill. 1993. A rapid and quantitative DNA sex test: Fluorescence-based PCR analysis of X-Y homologous gene amelogenin. *Biotechniques* 15 (4): 636–8, 640–1.

Tringali, G., A. Barbaro, E. Insirello, P. Cormaci, and A. M. Roccazzello. 2004. Rapid and efficacious real-time quantitative PCR assay for quantitation of human DNA in forensic samples. *Forensic Sci Int Suppl.* no.146:S177–81.

Walker, J. A., D. J. Hedges, B. P. Perodeau, K. E. Landry, N. Stoilova, M. E. Laborde, J. Shewale, S. K. Sinha, and M. A. Batzer. 2005. Multiplex polymerase chain reaction for simultaneous quantitation of human nuclear, mitochondrial, and male Y-chromosome DNA: Application in human identification. *Anal Biochem* 337 (1): 89–97.

Walsh, P. S., J. Varlaro, and R. Reynolds. 1992. A rapid chemiluminescent method for quantitation of human DNA. *Nucleic Acids Res* 20 (19): 5061–5.

Waye, J. S., L. A. Presley, B. Budowle, G. G. Shutler, and R. M. Fournay. 1989. A simple and sensitive method for quantifying human genomic DNA in forensic specimen extracts. *Biotechniques* 7 (8): 852–5.

Amplification

Alford, R. L., H. A. Hammond, I. Coto, and C. T. Caskey. 1994. Rapid and efficient resolution of parentage by amplification of short tandem repeats. *Am J Hum Genet* 55 (1): 190–5.

Andersen, J. F., M. J. Greenhalgh, H. R. Butler, S. R. Kilpatrick, R. C. Piercy, K. A. Way, H. S. Myhill, J. C. Wright, R. Hallett, and B. H. Parkin. 1996. Further validation of a multiplex STR system for use in routine forensic identity testing. *Forensic Sci Int* 78 (1): 47–64.

Arnheim, N., and C. H. Levenson. 1990. Polymerase chain reaction. *Chemical & Engineering News* 68 (40): 38–47.

Belgrader, P., J. K. Smith, V. W. Weedn, and M. A. Nothrup. 1998. Rapid PCR for identity testing using a battery-powered miniature thermal cycler. *J Forensic Sci* 43 (2): 315–9.

Bell, J. 1989. The polymerase chain reaction. *Immunol Today* 10 (10): 351-5.

Bourke, M. T., C. A. Scherczinger, C. Ladd, and H. C. Lee. 1999. NaOH treatment to neutralize inhibitors of Taq polymerase. *J Forensic Sci* 44 (5): 1046–50.

Brinkmann, B., M. Klintschar, F. Neuhuber, J. Huhne, and B. Rolf. 1998. Mutation rate in human microsatellites: Influence of the structure and length of the tandem repeat. *Am J Hum Genet* 62 (6): 1408–15.

Brownstein, M. J., J. D. Carpten, and J. R. Smith. 1996. Modulation of non-templated nucleotide addition by Taq DNA polymerase: Primer modifications that facilitate genotyping. *Biotechniques* 20 (6): 1004–6, 1008–10.

Budowle, B., T. R. Moretti, K. M. Keys, B. W. Koons, and J. B. Smerick. 1997. Validation studies of the CTT STR multiplex system. *J Forensic Sci* 42 (4): 701–7.

Butler, J. M., E. Buel, F. Crivellente, and B. R. McCord. 2004. Forensic DNA typing by capillary electrophoresis using the ABI Prism 310 and 3100 genetic analyzers for STR analysis. *Electrophoresis* 25 (10–11): 1397–412.

Butler, J. M., J. M. Devaney, M. A. Marino, and P. M. Vallone. 2001. Quality control of PCR primers used in multiplex STR amplification reactions. *Forensic Sci Int* 119 (1): 87–96.

Carbonari, M., D. Sbarigia, M. Cibati, and M. Fiorilli. 1993. Optimization of PCR performance. *Trends Genet* 9 (2):42–3.

Chakraborty, R., and K. K. Kidd. 1991. The utility of DNA typing in forensic work. *Science* 254 (5039): 1735–9.

Fregeau, C. J., R. A. Aubin, J. C. Elliott, S. S. Gill, and R. M. Fourney. 1995. Characterization of human lymphoid cell lines GM9947 and GM9948 as intra- and interlaboratory reference standards for DNA typing. *Genomics* 28 (2):184–97.

Clayton, T. M., J. P. Whitaker, R. Sparkes, and P. Gill. 1998. Analysis and interpretation of mixed forensic stains using DNA STR profiling. *Forensic Sci Int* 91 (1): 55–70.

Crouse, C. A., and J. Schumm. 1995. Investigation of species specificity using nine PCR-based human STR systems. *J Forensic Sci* 40 (6): 952–6.

Crouse, C. A., S. Rogers, E. Amiott, S. Gibson, and A. Masibay. 1999. Analysis and interpretation of short tandem repeat microvariants and three-banded allele patterns using multiple allele detection systems. *J Forensic Sci* 44 (1): 87–94.

Edwards, A., A. Civitello, H. A. Hammond, and C. T. Caskey. 1991. DNA typing and genetic mapping with trimeric and tetrameric tandem repeats. *Am J Hum Genet* 49 (4): 746–56.

Evetts, I. W., P. D. Gill, and J. A. Lambert. 1998. Taking account of peak areas when interpreting mixed DNA profiles. *J Forensic Sci* 43 (1): 62–9.

Finis, C.J., 2001. Megaplex STR analysis from a single amplification: Validation of the PowerPlex® 16 System. *Profiles in DNA*, Promega publication.
http://www.promega.com/profiles/402/ProfilesinDNA_402_05.pdf.

Frank, W. E., B. E. Llewellyn, P. A. Fish, A. K. Riech, T. L. Marcacci, D. W. Gandor, D. Parker, R. R. Carter, and S. M. Thibault. 2001. Validation of the AmpFISTR Profiler Plus PCR amplification kit for use in forensic casework. *J Forensic Sci* 46 (3): 642–6.

Fregeau, C. J., K. L. Bowen, B. Leclair, I. Trudel, L. Bishop, and R. M. Fourney. 2003. AmpFISTR Profiler Plus short tandem repeat DNA analysis of casework samples, mixture samples, and nonhuman DNA samples amplified under reduced PCR volume conditions (25 microL). *J Forensic Sci* 48 (5):1014–34.

Fregeau, C. J., and R. M. Fourney. 1993. DNA typing with fluorescently tagged short tandem repeats: A sensitive and accurate approach to human identification. *Biotechniques* 15 (1): 100–19.

Gaines, M. L., P. W. Wojtkiewicz, J. A. Valentine, and C. L. Brown. 2002. Reduced volume PCR amplification reactions using the AmpFISTR Profiler Plus kit. *J Forensic Sci* 47 (6):1224–37.

Gill, P., C. Kimpton, E. D'Aloja, J. F. Anderson, W. Bar, B. Brinkmann, S. Holgersson, V. Johnsonn, A. D. Kloosterman, M. V. Lareu, L. Nellesmann, H. Pfitzinger, C. P. Phillips, H. Schmitter, P. M. Schneider, and M. Stenersen. 1994. Report of the European DNA Profiling Group (EDNAP) towards standardisation of short tandem repeat (STR) loci. *Forensic Sci Int* 65: 51–59.

Gill, P., R. Sparkes, and C. Kimpton. 1997. Development of guidelines to designate alleles using an STR multiplex system. *Forensic Sci Int* 89 (3): 185–97.

Giusti, A., M. Baird, S. Pasquale, I. Balazs, and J. Glassberg. 1986. Application of deoxyribonucleic acid (DNA) polymorphisms to the analysis of DNA recovered from sperm. *J Forensic Sci* 31 (2): 409–17.

Graul, A. I. 1989. Automated gene amplification based on PCR technique. *Drug News and Perspectives* 2 (2): 94–98.

Hague, X. Y., and M. Litt. 1993. A study of the origin of “shadow bands” seen when typing dinucleotide repeat polymorphisms by the PCR. *Hum Mol Genet* 2 (4): 411–5.

Hammond, H. A., L. Jin, Y. Zhong, C. T., Caskey, and R. Chakraborty. 1994. Evaluation of 13 short tandem repeat loci for use in personal identification applications. *Am J Hum Genet* 55 (1): 175–89.

Higuchi, R., C. H. von Beroldingen, G. F. Sensabaugh, and H. A. Erlich. 1988. DNA typing from single hairs. *Nature* 332 (6164): 543–6.

Hochmeister, M. N., B. Budowle, A. Eisenberg, U. V. Borer, and R. Dirnhofer. 1996. Using multiplex PCR amplification and typing kits for the analysis of DNA evidence in a serial killer case. *J Forensic Sci* 41 (1): 155–62.

Hodgson, J. 1993. The whys and wherefores of DNA amplification. *Biotechnology* (N Y) 11 (8): 940–2.

Keohavong, P., and W. G. Thilly. 1989. Fidelity of DNA polymerases in DNA amplification. *Proc Natl Acad Sci U S A* 86 (23): 9253–7.

Kimpton, C., D. Fisher, S. Watson, M. Adams, A. Urquhart, J. Lygo, and P. Gill. 1994. Evaluation of an automated DNA profiling system employing multiplex amplification of four tetrameric STR loci. *Int J Legal Med* 106 (6): 302–11.

Krawczak, M., J. Reiss, J. Schmidtke, and U. Rosler. 1989. Polymerase chain reaction: Replication errors and reliability of gene diagnosis. *Nucleic Acids Res* 17 (6): 2197–201.

LaFountain, M., M. Schwartz, J. Cormier, and E. Buel. 1998. Validation of capillary electrophoresis for analysis of the X-Y homologous amelogenin gene. *J Forensic Sci* 43 (6): 1188–94.

LaFountain, M. J., M. B. Schwartz, P. A. Svete, M. A. Walkinshaw, and E. Buel. 2001. TWGDAM validation of the AmpFISTR Profiler Plus and AmpFISTR COfiler STR multiplex systems using capillary electrophoresis. *J Forensic Sci* 46 (5): 1191–8.

Landers, J. P., R. P. Oda, T. C. Spelsberg, J. A. Nolan, and K. J. Ulfelder. 1993. Capillary electrophoresis: A powerful microanalytical technique for biologically active molecules. *Biotechniques* 14 (1) 98–111.

Leclair, B., J. B. Sgueglia, P. C. Wojtowicz, A. C. Juston, C. J. Fregeau, and R. M. Fourney. 2003. STR DNA typing: Increased sensitivity and efficient sample consumption using reduced PCR reaction volumes. *J Forensic Sci* 48 (5):1001–13.

Lins, A. M., C. J. Sprecher, C. Puers, and J. W. Shumm. 1996. Multiplex sets for the amplification of polymorphic short tandem repeat loci: Silver stain and fluorescence detection. *Biotechniques* 20 (5): 882–9.

Lygo, J. E., P. E. Johnson, D. J. Holdaway, S. Woodroffe, J. P. Whitaker, T. M. Clayton, C. P. Kimpton, and P. Gill. 1994. The validation of short tandem repeat (STR) loci for use in forensic casework. *Int J Legal Med* 107 (2): 77–89.

Magnuson, V. L., D. S. Ally, S. J. Nylund, Z. E. Karanjawala, J. B. Rayman, J. I. Knapp, A. L. Lowe, S. Ghosh, and F. S. Collins. 1996. Substrate nucleotide-determined non-templated addition of adenine by Taq DNA polymerase implications for PCR-based genotyping and cloning. *Biotechniques* 21 (4): 700–9.

Marx, J. L. 1988. Multiplying genes by leaps and bounds. *Science* 240 (4858): 1408–10.

Micka, K. A., C. J. Sprecher, A. M. Lins, C. Theisen Comey, B. W. Koons, C. Crouse, D. Endean, et al. 1996. Validation of multiplex polymorphic STR amplification sets developed for personal identification applications. *J Forensic Sci* 41 (4): 582–90.

Moretti, T. R., A. L. Baumstark, D. A. Defenbaugh, K. M. Keys, A. L. Brown, and B. Budowle. 2001. Validation of STR typing by capillary electrophoresis. *J Forensic Sci* 46 (3): 661–76.

Mullis, K. B. The unusual origin of the polymerase chain reaction. 1990. *Sci Am* 1990. 262: 56–65.

Oste, C. 1988. Polymerase chain reaction. *Biotechniques* 6 (2): 162–7.

Ostrowski, R. 2003. Paternity indices. Paper presented at Statistics of DNA Profiling forum, Ohio. <http://bioforensics.com/conference/Paternity/>.

Reynolds, R., G. Sensabaugh, and E. Blake. 1991. Analysis of genetic markers in forensic DNA samples using the polymerase chain reaction. *Anal Chem* 63 (1): 2–15.

Robertson, J. M., J. B. Sgueglia, C. A. Badger, A. C. Juston, and J. Ballantyne. 1995. Forensic applications of a rapid, sensitive, and precise multiplex analysis of the four short tandem repeat loci HUMVWF31/A, HUMTH01, HUMF13A1, and HUMFES/FPS. *Electrophoresis*. 16 (1): 1568–76.

Roux, C., K. Gill, J. Sutton, and C. Lennard. 1999. A further study to investigate the effect of fingerprint enhancement techniques on the DNA analysis of bloodstains. *J Forensic Identification* 49 (4): 357–76.

Saiki, R. K., D. H. Gelfand, S. Stoffel, S. J. Scharf, R. Higuchi, G. T. Horn, K. B. Mullis, and H. A. Erlich. 1988. Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science* 239 (4839): 487–91.

Scherczinger, C. A., C. Ladd, M. T. Bourke, M. S. Adamowicz, P. M. Johannes, R. Scherzinger, T. Beesley, and H. C. Lee. 1999. A systematic analysis of PCR contamination. *J Forensic Sci* 44 (5): 1042–5.

Sprecher, C. J., C. Puers, A. M. Lins, and J. W. Schumm. 1996. General approach to analysis of polymorphic short tandem repeat loci. *Biotechniques* 20 (2): 266–76.

Tindall, K. R., and T. A. Kunkel. 1988. Fidelity of DNA synthesis by the *Thermus aquaticus* DNA polymerase. *Biochemistry* 27 (16): 6008–13.

Tun, Z., K. Honda, M. Nakatome, M. Nakamura, S. Shimada, Y. Ogura, H. Kuroki, M. Yamazaki, M. Terada, and R. Matoba. 1999. Simultaneous detection of multiple STR loci on sex chromosomes for forensic testing of sex and identity. *J Forensic Sci* 44 (4): 772–7.

Vosberg, H. P. 1989. The polymerase chain reaction: An improved method for the analysis of nucleic acids. *Hum Genet* 83 (1): 1–15.

Wages, J. M., and A. K. Fowler. 1993. Amplification of low copy number sequences. *Amplifications: A forum for PCR users* 11:1–3.

Wallin, J. M., M. R. Buoncristiani, K. D. Lazaruk, N. Fildes, C. L. Holt, and P. S. Walsh. 1998. TWGDAM validation of the AmpFISTR Blue PCR amplification kit for forensic casework analysis. *J Forensic Sci* 43 (4): 854–70.

Walsh, P. S., H. A. Erlich, R. Higuchi. 1992. Preferential PCR amplification of alleles: Mechanisms and solutions. *PCR Methods and Applications* 1 (4): 241–50.

Walsh, P. S., N. J. Fildes, and R. Reynolds. 1996. Sequence analysis and characterization of stutter products at the tetranucleotide repeat locus vWA. *Nucleic Acids Res* 24 (14): 2807–12.

Weissensteiner, T., and J. S. Lanchbury. 1996. Strategy for controlling preferential amplification and avoiding false negatives in PCR typing. *Biotechniques* 21 (6): 1102–8.

White, T. J., N. Arnheim, and H. A. Erlich. 1989. The polymerase chain reaction. *Trends Genet* 5 (6): 185–9.

Williams, J. F. 1989. Optimization strategies for the polymerase chain reaction. *Biotechniques* 7 (7): 762–9.

Capillary Electrophoresis/Genetic Analysis

Altria, K. D. 1999. Overview of capillary electrophoresis and capillary electrochromatography. *J Chromatogr A* 856 (1–2): 443–63.

Biega, L. A., and B. W. Duceman. 1999. Substitution of H₂O for formamide in the sample preparation protocol for STR analysis using the capillary electrophoresis system: The effects on precision, resolution, and capillary life. *J Forensic Sci* 44 (5): 1029–31.

Bienvenue, J. M., K. L. Wilson, J. P. Landers, and J. P. Ferrance. 2005. Evaluation of sieving polymers for fast, reproducible electrophoretic analysis of short tandem repeats (STR) in capillaries. *J Forensic Sci* 50 (4): 842–8.

Budowle, B., B. Shea, S. Niezgodna, and R. Chakraborty. 2001. CODIS STR loci data from 41 sample populations. *J Forensic Sci* 46 (3): 453–89.

Buel, E., M. B. Schwartz, and M. J. LaFountain. 1998. Capillary electrophoresis STR analysis: Comparison to gel-based systems. *J Forensic Sci* 43 (1): 164–70.

Butler, J. M., E. Buel, F. Crivellente, and B. R. McCord. 2004. Forensic DNA typing by capillary electrophoresis using the ABI Prism 310 and 3100 genetic analyzers for STR analysis. *Electrophoresis* 25 (10–11): 1397–412.

Butler, J. M., B. R. McCord, J. M. Jung, M. R. Wilson, B. Budowle, and R. O. Allen. 1994. Quantitation of polymerase chain reaction products by capillary electrophoresis using laser fluorescence. *J Chromatogr B Biomed Appl* 658 (2): 271–80.

Butler, J. M., C. M. Ruitberg, and P. M. Vallone. 2001. Capillary electrophoresis as a tool for optimization of multiplex PCR reactions. *Fresenius J Anal Chem* 369 (3–4): 200–5.

Ishino, Y., J. Mineno, T. Inoue, H. Fujimiya, K. Yamamoto, T. Tamura, M. Homma, K. Tanaka, and I. Kato. 1992. Practical applications in molecular biology of sensitive fluorescence detection by a laser-excited fluorescence image analyzer. *Biotechniques* 13 (6): 936–43.

LaFountain, M., M. Schwartz, J. Cormier, and E. Buel. 1998. Validation of capillary electrophoresis for analysis of the X-Y homologous amelogenin gene. *J Forensic Sci* 43 (6): 1188–94.

LaFountain, M. J., M. B. Schwartz, P. A. Svete, M. A. Walkinshaw, and E. Buel. 2001. TWGDAM validation of the AmpFISTR Profiler Plus and AmpFISTR COfiler STR multiplex systems using capillary electrophoresis. *J Forensic Sci* 46 (5): 1191–8.

Landers, J. P., R. P. Oda, T. C. Spelsberg, J. A. Nolan, and K. J. Ulfelder. 1993. Capillary electrophoresis: A powerful microanalytical technique for biologically active molecules. *Biotechniques* 14 (1): 98–111.

Moretti, T. R., A. L. Baumstark, D. A. Defenbaugh, K. M. Keys, A. L. Brown, and B. Budowle. 2001. Validation of STR typing by capillary electrophoresis. *J Forensic Sci* 46 (3): 661–76.

Sguelgia, J. B., S. Geiger, and J. Davis. 2003. Precision studies using the ABI Prism 3100 genetic analyzer for forensic DNA analysis. *Anal Bioanal Chem*, 376 (8): 1247–54.

Tun, Z., K. Honda, M. Nakatome, M. Nakamura, S. Shimada, Y. Ogura, H. Kuroki, M. Yamazaki, M. Terada, and R. Matoba. 1999. Simultaneous detection of multiple STR loci on sex chromosomes for forensic testing of sex and identity. *J Forensic Sci* 44 (4): 772–7.

Data Analysis and Interpretation, Population Genetics, and Statistics

Buckleton, J., C. M. Triggs, and J. M. Curran. Comment on: Detection of deviations from genetic equilibrium; A commentary on Budowle, B., et al. *J Forensic Sci* 44 (6): 1277–86. *J Forensic Sci* 46 (1): 198–202.

Budowle, B. 1995. The effects of inbreeding on DNA profile frequency estimates using PCR-based loci. *Genetica* 96 (1–2): 21–5.

Budowle, B., G. Carmody, R. Chakraborty, and K. Monson. 2000. Source attribution of a forensic DNA profile. *Forensic Science Communications* 2 (3).
<http://www.fbi.gov/hq/lab/fsc/backissu/july2000/source.htm>.

Budowle, B., K. L. Monson, and R. Chakraborty. 1996. Estimating minimum allele frequencies for DNA profile frequency estimates for PCR-based loci. *Int J Legal Med* 108 (4): 173–6.

Budowle, B., T. R. Moretti, A. L. Baumstark, D. A. Defenbaugh, and K. M. Keys. 1999. Population data on the thirteen CODIS core short tandem repeat loci in African Americans, US Caucasians, Hispanics, Bahamians, Jamaicans, and Trinidadians. *J Forensic Sci* 44 (6): 1277–86.

Budowle, B., B. Shea, S. Niezgodna, and R. Chakraborty. 2001. CODIS STR loci data from 41 sample populations. *J Forensic Sci* 46 (3): 453–89.

Chakraborty, R. 1991. Statistical interpretation of DNA typing data. *Am J Hum Genet* (1991) 49 (4): 895–7, 899–903.

Curran, J. M., C. M. Triggs, J. Buckleton, and B. S. Weir. 1999. Interpreting DNA mixtures in structured populations. *J Forensic Sci* 44 (5): 987–95.

Davidson, A. K., and L. D. Lee. 1999. Unusual results due to transfused blood. *Science & Justice* 39 (3): 179–80.

DNA Advisory Board. 2000. Statistical and population genetics issues affecting the evaluation of the frequency of occurrence of DNA profiles calculated from pertinent population databases. *Forensic Science Communications* 2 (3). <http://www.fbi.gov/hq/lab/fsc/backissu/july2000/dnastat.htm>.

Ladd, C., H. C. Lee, N. Yang, and F. R. Bieber. 2001. Interpretation of complex forensic DNA mixtures. *Croatian Medical Journal*, 42 (3): 244–6.

Romualdi, C., D. Balding, I. S. Nasidze, G. Risch, M. Robichaux, S. T. Sherry, M. Stoneking, M. A. Batzer, and G. Barbujani. 2002. Patterns of human diversity, within and among continents, inferred from biallelic DNA polymorphisms. *Genome Res* 12 (4): 602–12.

Ruitberg, C. M., D. J. Reeder, and J. M. Butler. 2001. STRBase: A short tandem repeat DNA database for the human identity testing community. *Nucleic Acids Res* 29 (1): 320–2.

Scientific Working Group on DNA Analysis Methods (SWGAM). 2000. Short tandem repeat (STR) interpretation guidelines. *Forensic Science Communications* 2 (3). <http://www.fbi.gov/hq/lab/fsc/backissu/july2000/strig.htm>.

Weir, B. S., C. M. Triggs, L. Starling, L. I. Stowell, K. A. Walsh, and J. Buckleton. 1997. Interpreting DNA mixtures. *J Forensic Sci* 42 (2): 213–22.

Legal Issues and Social Science

Bowles, I. T., E. C. O’Gorman, and A. Sayers. 1991. Rape: A comparison of stranger and acquaintance assaults. *Med Sci Law* 31 (2): 102–9.

Koehler, J. J. 1993. Error and exaggeration in the presentation of DNA evidence. *Jurimetrics Journal* 34:21–39.

Litovsky, A., and K. Schultz. 1998. Scientific evidence of paternity: A survey of state statutes. *Jurimetrics Journal* 39:79–94.

Primorac, D., and M. S. Schanfield. 2000. Application of forensic DNA testing in the legal system. *Croatian Medical Journal* 41 (1): 32–46.

Reilly, P. 2001. Legal and public policy issues in DNA forensics. *National Review Genetics*, 2 (4): 313–7.

Thompson, W. C., F. Taroni, and C. G. Aitken. 2003. How the probability of a false positive affects the value of DNA evidence. *J Forensic Sci* 48 (1):47–54.

Toledano, T., L. Quarino, S. Leung, P. Buffolino, H. Baum, and R. C. Shaler. 1997. An assessment of DNA contamination risks in New York City Medical Examiner facilities. *J Forensic Sci* 42 (4): 721–4.

Professional Working Group Publications, QA/QC, and Accreditation Information

Balazic, J., and I. Zupanic. 1999. Quality control and quality assurance in DNA laboratories: Legal, civil and ethical aspects. *Forensic Sci Int Suppl.* no.103:S1–5.

DNA Advisory Board. 1998. Quality assurance standards for forensic DNA testing laboratories. *Forensic Science Communications* 2 (3). <http://www.fbi.gov/hq/lab/codis/forensic.htm>.

DNA Advisory Board. 1999. Quality assurance standards for convicted offender DNA databasing laboratories. *Forensic Science Communications* 2 (3). <http://www.fbi.gov/hq/lab/codis/offender.htm>.

Editorial. 1992 Recommendations of the DNA Commission of the International Society for Forensic Haemogenetics relating to the use of PCR-based polymorphisms. *Forensic Sci Int* 55 (1): 1–3.

Scientific Working Group on DNA Analysis Methods (SWGAM). 2001. Training guidelines. *Forensic Science Communications* 3 (4). <http://www.fbi.gov/hq/lab/fsc/backissu/oct2001/kzinski.htm>.

Development and Validation Studies (STRs)

Allen, M., and A. M. Divne. 2005. Universal tag arrays in forensic SNP analysis. *Methods Mol Biol.* 297: 141–54.

Allen, M., A. S. Engstrom, S. Meyers, O. Handt, T. Saldeen, A. von Haeseler, S. Paabo, and U. Gyllensten. 1998. Mitochondrial DNA sequencing of shed hairs and saliva on robbery caps: Sensitivity and matching probabilities. *J Forensic Sci* 43 (3): 453–64.

Andersen, J., P. Martin, A. Carracedo, M. Dobosz, B. Eriksen, V. Johnsson, C. Kimpton, et al. 1996. Report on the third EDNAP collaborative STR exercise: European DNA Profiling Group. *Forensic Sci Int* 78: 83–93.

Anderson, T. D., J. P. Ross, R. K. Roby, D. A. Lee, and M. M. Holland. A validation study for the extraction and analysis of DNA from human nail material and its application to forensic casework. *J Forensic Sci* 44 (5): 1053–6.

Barreto, G., A. R. Vago, C. Ginther, A. J. Simpson, S. D. Pena. 1996. Mitochondrial D-loop “signatures” produced by low-stringency single specific primer PCR constitute a simple comparative human identity test. *Am J Hum Genet* 58 (3): 609–16.

Borsting, C., J. J. Sanchez, and N. Morling. 2005. SNP typing on the NanoChip electronic microarray. *Methods Mol Biol* 297:155–68.

Brenner, C. H., and B. S. Weir. Issues and strategies in the identification of World Trade Center victims. 2003. *Theor Popul Biol* 63 (3): 173–8.

Budowle, B. 2004. SNP typing strategies. *Forensic Sci Int Suppl.* no.146: S139–42.

Budowle, B, M. W. Allard, M. R. Wilson, and R. Chakraborty. 2003. Forensics and mitochondrial DNA: Applications, debates, and foundations. *Annual Review of Genomics and Human Genetics* 4:119–41.

Budowle, B., H. A. Deadman, R. S. Murch, and F. S. Baechtel. 1988. An introduction to the methods of DNA analysis under investigation in the FBI laboratory. *Crime Laboratory Digest* 15 (1): 8–21..

Budowle, B., T. R. Moretti, K. M. Keys, B. W. Koons, and J. B. Smerick. 1997. Validation studies of the CTT STR multiplex system. *J Forensic Sci* 42 (4): 701–7.

Divne, A. M., and M. Allen. 2005. A DNA microarray system for forensic SNP analysis. *Forensic Sci Int* 154 (2–3): 111–21.

Crouse, C. A., and J. Schumm. 1995. Investigation of species specificity using nine PCR-based human STR systems. *J Forensic Sci* 40 (6): 952–6.

Finis, C. J. 2001. Megaplex STR analysis from a single amplification: Validation of the PowerPlex® 16 System. *Profiles in DNA*, Promega publication.
http://www.promega.com/profiles/402/ProfilesinDNA_402_05.pdf.

Forensic SNP Analysis

Frank, W. E., B. E. Llewellyn, P. A. Fish, A. K. Riech, T. L. Marcacci, D. W. Gandor, D. Parker, R. R. Carter, and S. M. Thibault. 2001. Validation of the AmpFISTR Profiler Plus PCR amplification kit for use in forensic casework. *J Forensic Sci* 46 (3): 642–6.

Fregeau, C. J., K. L. Bowen, B. Leclair, I. Trudel, L. Bishop, and R. M. Fourney. 2003. AmpFISTR Profiler Plus short tandem repeat DNA analysis of casework samples, mixture samples, and nonhuman DNA samples amplified under reduced PCR volume conditions (25 microl). *J Forensic Sci* 48 (5):1014–34.

Gabriel, M. N., E. F. Huffine, J. H. Ryan, M. M. Holland, and T. J. Parsons. 2001. Improved MtDNA sequence analysis of forensic remains using a “mini-primer set” amplification strategy. *J Forensic Sci* 46 (2): 247–53.

Gill, P., R. Sparkes, and C. Kimpton. 1997. Development of guidelines to designate alleles using an STR multiplex system. *Forensic Sci Int* 89 (3): 185–97.

Gill, P., D. J. Werrett, B. Budowle, and R. Guerrieri. 2004. An assessment of whether SNPs will replace STRs in national DNA databases: Joint considerations of the DNA working group of the European Network of Forensic Science Institutes (ENFSI) and the Scientific Working Group on DNA Analysis Methods (SWGDM). *Science & Justice* 44 (1): 51–3.

Holland, M. M., and T.J. Parsons. 1999. Mitochondrial DNA sequence analysis: Validation and use for forensic casework. *Forensic Science Review* 11 (1): 21–50.

LaFountain, M., M. Schwartz, J. Cormier, and E. Buel. 1998. Validation of capillary electrophoresis for analysis of the X-Y homologous amelogenin gene. *J Forensic Sci* 43 (6): 1188–94.

LaFountain, M. J., M. B. Schwartz, P. A. Svete, M. A. Walkinshaw, and E. Buel. 2001. TWGDAM validation of the AmpFISTR Profiler Plus and AmpFISTR COfiler STR multiplex systems using capillary electrophoresis. *J Forensic Sci* 46 (5): 1191–8.

Lygo, J. E., P. E. Johnson, D. J. Holdaway, S. Woodroffe, J. P. Whitaker, T. M. Clayton, C. P. Kimpton, and P. Gill. 1994. The validation of short tandem repeat (STR) loci for use in forensic casework. *Int J Legal Med* 107 (2): 77–89.

Maitra, A., Y. Cohen, S. E. Gillespie, E. Mambo, N. Fukushima, M. O. Hoque, N. Shah, et al. 2004. The Human MitoChip: A high-throughput sequencing microarray for mitochondrial mutation detection. *Genome Res* 14 (5): 812–9.

Matsuzaki, H., H. Loi, S. Dong, Y. Y. Tsai, J. Fang, J. Law, X. Di, et al. 2004. Parallel genotyping of over 10,000 SNPs using a one-primer assay on a high-density oligonucleotide array. *Genome Res* 14 (3): 414–25.

Melton, T., G. Dimick, B. Higgins, L. Lindstrom, and K. Nelson. 2005. Forensic mitochondrial DNA analysis of 691 casework hairs. *J Forensic Sci* 50 (1): 73–80.

Micka, K. A., C. J. Sprecher, A. M. Lins, C. Theisen-Comey, B. W. Koons, C. Crouse, D. Endean, et al. 1996. Validation of multiplex polymorphic STR amplification sets developed for personal identification applications. *J Forensic Sci* 41 (4): 582–90.

Mitochondrial DNA

Moretti, T. R., A. L. Baumstark, D. A. Defenbaugh, K. M. Keys, A. L. Brown, and B. Budowle. 2001. Validation of STR typing by capillary electrophoresis. *J Forensic Sci* 46 (3): 661–76.

Promega Corporation. 2001. Validation of STR systems reference manual.
<http://www.promega.com/techserv/apps/hmnid/referenceinformation/powerplex/ValidationManual.pdf>.

Scientific Working Group on DNA Analysis Methods (SWGDM). 2003. Guidelines for mitochondrial DNA (mtDNA) nucleotide sequence interpretation. *Forensic Science Communications* 5 (2).
<http://www.fbi.gov/hq/lab/fsc/backissu/april2003/swgdammitodna.htm>.

Scientific Working Group on DNA Analysis Methods (SWGDM). 2004. Revised validation guidelines. *Forensic Science Communications* 6 (3).
http://www.fbi.gov/hq/lab/fsc/backissu/july2004/standards/2004_03_standards02.htm.

Sguglia, J. B., S. Geiger, and J. Davis. 2003. Precision studies using the ABI Prism 3100 Genetic Analyzer for forensic DNA analysis. *Anal Bioanal Chem* 376 (8): 1247–54.

Smith, J. A. L., and B. Budowle. 1998. Source identification of body fluid stains using DNA profiling. *Genetic Identity Conference proceedings: Second European Symposium on Human Identification*, Promega Corporation:89–90.

Sobrino, B., M. Brion, and A. Carracedo. 2005. SNPs in forensic genetics: A review on SNP typing methodologies. *Forensic Sci Int* 154 (2–3): 181–94.

Wallin, J. M., M. R. Buoncristiani, K. D. Lazaruk, N. Fildes, C. L. Holt, and P. S. Walsh. 1998. TWGDAM validation of the AmpFISTR Blue PCR amplification kit for forensic casework analysis. *J Forensic Sci* 43 (4): 854–70.

Walsh, P. S., N. J. Fildes, and R. Reynolds. 1996. Sequence analysis and characterization of stutter products at the tetranucleotide repeat locus vWA. *Nucleic Acids Res* 24 (14): 2807–12.

Word C. J., T. M. Sawosik, and D. H. Bing. 1997. Summary of validation studies from twenty-six forensic laboratories in the United States and Canada on the use of the AmpliType PM PCR amplification and typing kit. *J Forensic Sci* 42 (1): 39–48.

Y-STRs

Butler, H. M., R. Schoske, and P. M. Vallone. 2003. Highly multiplexed assays for measuring polymorphisms on the Y-chromosome. *International Congress Series* 1239:301–5.

Butler, J. M. 2003. Recent developments in Y-short tandem repeat and Y-single nucleotide polymorphism analysis. *Forensic Science Review* 15:91–111.

Corach, D., L. Filgueira Risso, M. Marino, G. Penacino, and A. Sala. 2001. Routine Y-STR typing in forensic casework. *Forensic Sci Int* 118 (2–3): 131–5.

Gusmao, L., M. Brion, A. Gonzales-Neira, M. Lareu, and A. Carrecedo. 1999. Y Chromosome specific polymorphisms in forensic analysis. *Legal Medicine* 1 (2): 55–60.

Honda, K., L. Roewer, and P. de Knijff. 1999. Male DNA typing from 25-year-old vaginal swabs using Y chromosomal STR polymorphisms in a retrial request case. *J Forensic Sci* 44 (4): 868–72.

Krenke, B. E., L. Viculis, M. L. Richard, M. Prinz, S. C. Milne, C. Ladd, A. M. Gross, et al. 2005. Validation of a male-specific, 12-locus fluorescent short tandem repeat (STR) multiplex. *Forensic Sci Int* 151 (1): 111–24.

Redd, A. J., A. B. Agellon, V. A. Kearney, V. A. Contreras, T. Karafet, H. Park, P. de Knijff, J. M. Butler, and M. F. Hammer. 2002. Forensic value of 14 novel STRs on the human Y chromosome. *Forensic Sci Int* 130 (2–3): 97–111.

Future Trends and Technologies

Butler, J. M., and C. H. Becker. 2001. Improved analysis of DNA short tandem repeats with time-of-flight mass spectrometry. National Institute of Justice science and technology research report: NCJ 188292.

Carracedo, A., and P. Sanchez-Diz. 2005. Forensic DNA-typing technologies: A review. *Methods Mol Biol* 297:1–12.

Fodor, S. P., R. P. Rava, X. C. Huang, A. C. Pease, C. P. Holmes, and C. L. Adams. 1993. Multiplexed biochemical assays with biological chips. *Nature* 364 (6437): 555–6.

Hanson, E. K., and J. Ballantyne. 2005. Whole genome amplification strategy for forensic genetic analysis using single or few cell equivalents of genomic DNA. *Anal Biochem* 346 (2): 246–57.

Huang, Y., J. Shirajian, A. Schroder, Z. Yao, T. Summers, D. Hodko, and R. Sosnowski. 2004. Multiple sample amplification and genotyping integrated on a single electronic microarray. *Electrophoresis* 25 (18–19): 3106–116.

Juusola, J., and J. Ballantyne. 2005. Multiplex mRNA profiling for the identification of body fluids. *Forensic Sci Int* 152 (1): 1–12.

Kemp, J. T., R. W. Davis, R. L. White, S. X. Wang, and C. D. Webb. 2005. A novel method for STR-based DNA profiling using microarrays. *J Forensic Sci* 50 (5): 1109–13.

Leclair, B., and T. Scholl. 2005. Application of automation and information systems to forensic genetic specimen processing. *Expert Rev Mol Diagn* 5 (2): 241–50.

Radtkey, R., L. Feng, M. Muralhidar, M. Duhon, D. Canter, D. DiPierro, S. Fallon, et al. 2000. Rapid, high fidelity analysis of simple sequence repeats on an electronically active DNA microchip. *Nucleic Acids Res* 28 (7): E17.

Forensic Texts

Adelman, Marilyn Marx, and Eileen M. Cahill. 1989. *Atlas of sperm morphology*. Chicago: ASCP Press.

Baechtel, F. S. 1988. The identification and individualization of semen stains. In vol. 2 of *Forensic science handbook*, ed. Richard E. Saferstein, 347–92. Englewood Cliffs, NJ: Prentice Hall.

Butler, John M. 2001. *Forensic DNA typing: Biology and technology behind STR markers*. San Diego, CA: Academic Press.

Butler, John M. 2005. *Forensic DNA typing: Biology, technology, and genetics of STR markers*. 2nd ed. Burlington, MA: Elsevier Academic Press.

Buckleton, John, Christopher M. Triggs, and Simon J. Walsh, eds. 2005. *Forensic DNA evidence interpretation*. Boca Raton, FL: CRC Press.

Carracedo, Angel, ed. 2005. *Forensic DNA typing protocols*. Totowa, NJ: Humana Press.

DeForest, Peter R., R. E. Gaensslen, and Henry C. Lee. 1983. *Forensic science: An introduction to criminalistics*. New York: McGraw-Hill.

Gaensslen, R. E., ed. 1983. *Sourcebook in forensic serology, immunology, and biochemistry*. Washington, DC: U.S. Government Printing Office.

Landers, James P., ed. 1997. *Handbook of capillary electrophoresis*. 2nd ed. Boca Raton, FL: CRC Press.

Lincoln, Patrick J., and Jim Thomson, eds. 1998. *Forensic DNA profiling protocols*. Totowa, NJ: Humana Press.

Lundquist, Frank, ed. 1962. *The methods of forensic science*. New York: Interscience.

National Research Council Committee on DNA Forensic Science: An Update. 1996. *The evaluation of forensic DNA evidence*. Washington, DC: National Academy Press.

Saferstein, Richard E., ed. 1982. *Forensic science handbook*. Englewood Cliffs, NJ: Prentice Hall.

[Return to Laboratory Training Manual User Guide](#)